3

4

5

6



Document Number: DSP1117

Date: 2013-08-08

Version: 1.0.0c

Management Initiative Registration Profile

IMPORTANT: This specification is not a standard. It does not necessarily reflect the views of the DMTF or all of its members. Because this document is a Work in Progress, this specification may still change, perhaps profoundly. This document is available for public review and comment until the stated expiration date.

- 9 This document expires on: **2014-01-31**.
- 10 Target version for DMTF Standard: 1.0.0.
- 11 Provide any comments through the DMTF Feedback Portal: http://www.dmtf.org/standards/feedback
- Document Type: Specification
- 13 Document Status: Work in Progress
- 14 Document Language: en-US

Copyright notice

Copyright © 2012-2013 Distributed Management Task Force, Inc. (DMTF). All rights reserved.

- DMTF is a not-for-profit association of industry members dedicated to promoting enterprise and systems management and interoperability. Members and non-members may reproduce DMTF specifications and documents, provided that correct attribution is given. As DMTF specifications may be revised from time to time, the particular version and release date should always be noted.
- Implementation of certain elements of this standard or proposed standard may be subject to third party patent rights, including provisional patent rights (herein "patent rights"). DMTF makes no representations to users of the standard as to the existence of such rights, and is not responsible to recognize, disclose, or identify any or all such third party patent right, owners or claimants, nor for any incomplete or inaccurate identification or disclosure of such rights, owners or claimants. DMTF shall have no liability to any party, in any manner or circumstance, under any legal theory whatsoever, for failure to recognize, disclose, or identify any such third party patent rights, or for such party's reliance on the standard or incorporation thereof in its product, protocols or testing procedures. DMTF shall have no liability to any party implementing such standard, whether such implementation is foreseeable or not, nor to any patent owner or claimant, and shall have no liability or responsibility for costs or losses incurred if a standard is withdrawn or modified after publication, and shall be indemnified and held harmless by any party implementing the standard from any and all claims of infringement by a patent owner for such implementations.
- For information about patents held by third-parties which have notified the DMTF that, in their opinion, such patent may relate to or impact implementations of DMTF standards, visit http://www.dmtf.org/about/policies/disclosures.php.

CONTENTS

Fc	preword	4
Int	roduction	5
1	Scope	6
2	Normative references	6
3	Terms and definitions	6
	3.1 General	6
4	Symbols and abbreviated terms	7
5	Synopsis	7
6	Description	9
7	Implementation	10
	7.1 Features	10
	7.1.1 Feature: InitiativeProfiles	10
	7.2 Adaptations	10
	7.2.1 Conventions	10
	7.2.2 Adaptation: RegisteredProfile: CIM_RegisteredProfile	11
	7.2.3 Adaptation: RegisteredInitiative: CIM_RegisteredSpecification	12
	7.2.4 Adaptation: InitiativeProfile: CIM_RegisteredProfile	13
	7.2.5 Adaptation: ReferencedInitiativeProfile: CIM_ReferencedSpecification	14
8	Use cases and state descriptions	15
	8.1 State description: SimpleObjectDiagram	15
	8.2 Use case: DetermineAllInitiatives	16
	8.3 Use case: DetermineInitiativesOfProfile	16
	8.4 Use case: DetermineProfilesOfInitiative	16
ΑN	NNEX A (informative) Change log	18
Fi	gures	
	gure 1 – DMTF class adaptation diagram	٥
	gure 2 – Simple object diagram	
1 10	gure 2 – Simple object diagram	13
Ta	ables	
Ta	ble 1 – Profile references	8
Ta	ble 2 – Features	8
Ta	ble 3 – Adaptations	8
Ta	ble 4 – Use cases and state descriptions	8
Та	ble 5 – RegisteredProfile: Element requirements	11
Ta	ble 6 – RegisteredInitiative: Element requirements	12
Ta	ble 7 – InitiativeProfile: Element requirements	14
Та	ble 8 – ReferencedInitiativeProfile: Element requirements	14
Та	ble 9 – Change log	18

Foreword

This document was prepared by the DMTF Architecture Working Group

- DMTF is a not-for-profit association of industry members dedicated to promoting enterprise and systems management and interoperability. For information about the DMTF, see http://www.dmtf.org.
- 24 Acknowledgements
- DMTF acknowledges the following individuals for their contributions to this document:
- Andreas Maier, IBM (Editor)
- Jim Davis, WBEM Solutions
- George Ericson, EMC
- Michael Johanssen, IBM
- o Rick Landau, Dell
- Mike Walker, SNIA

36

38 39

40

41

44

Introduction

- This document defines the CIM model for advertising and discovering conformance of an implementation to one or more management initiatives. The information in this document is intended to be sufficient for a provider or consumer of this data to identify unambiguously the classes, properties, methods, and values that need to be instantiated and manipulated.
- The target audience for this specification is implementers who are writing CIM-based providers or consumers of management interfaces that represent the components described in this document.

Document conventions

Typographical conventions

- The following typographical conventions are used in this document:
 - Document titles are marked in italics.
 - Important terms that are used for the first time are marked in *italics*.
 - Terms include a link to the term definition in the "Terms and definitions" clause, enabling easy navigation to the term definition.

OCL usage conventions

- Constraints in this document are specified using OCL (see OCL 2.0).
- 43 OCL statements are in monospaced font.

Management Initiative Registration Profile

45

1 Scope

46

The Management Initiative Registration profile is an autonomous profile that provides for advertising and discovering conformance of an implementation to management initiatives, and optionally to the management profiles of the advertised initiatives.

47

2 Normative references

- The following referenced documents are indispensable for the application of this document. For dated or versioned references, only the edition cited (including any corrigenda or DMTF update versions) applies. For references without a date or version, the latest published edition of the referenced document (including any corrigenda or DMTF update versions) applies.
- DMTF DSP0004, CIM Infrastructure Specification 2.7, http://www.dmtf.org/standards/published_documents/DSP0004_2.7.pdf
- DMTF DSP0223, *Generic Operations 1.0*, http://www.dmtf.org/standards/published_documents/DSP0223_1.0.pdf
- DMTF DSP1001, *Management Profile Specification Usage Guide 1.1*, http://www.dmtf.org/standards/published_documents/DSP1001_1.1.pdf
- DMTF DSP1033, *Profile Registration Profile 1.1*, http://www.dmtf.org/standards/published_documents/DSP1033_1.1.pdf
- OMG formal/06-05-01, *Object Constraint Language 2.0*, http://www.omg.org/spec/OCL/2.0/
- ISO/IEC Directives, Part 2, *Rules for the structure and drafting of International Standards*, http://isotc.iso.org/livelink/livelink?func=Il&objId=4230456&objAction=browse&sort=subtype

55

3 Terms and definitions

In this document, some terms have a specific meaning beyond the normal English meaning. Those terms are defined in this clause.

57

3.1 General

- The terms "shall" ("required"), "shall not", "should" ("recommended"), "should not" ("not recommended"), "may", "need not" ("not required"), "can" and "cannot" in this document are to be interpreted as described in ISO/IEC Directives, Part2, Annex H. The terms in parenthesis are alternatives for the preceding term, for use in exceptional cases when the preceding term cannot be used for linguistic reasons. Note that ISO/IEC Directives, Part2, Annex H specifies additional alternatives. Occurrences of such additional alternatives shall be interpreted in their normal English meaning in this document.
- The terms "clause", "subclause", "paragraph", "annex" in this document are to be interpreted as described in ISO/IEC Directives, Part2, Clause 5.

The terms "normative" and "informative" in this document are to be interpreted as described in ISO/IEC Directives, Part2, Clause 3. In this document, clauses, subclauses or annexes indicated with "(informative)" as well as notes and examples do not contain normative content.

The terms defined in <u>DSP0004</u>, <u>DSP0223</u>, and <u>DSP1001</u> apply to this document.

- The following additional terms are defined in this document.
- 62 **3.2**
- 63 initiative, management initiative
- A named and versioned amount of management functionality with conformance requirements. The conformance requirements for implementing a management initiative are described in an initiative specification, based on management profiles and other specifications. Initiatives may be defined by DMTF, other standards organizations, or vendors.
- 65 3 3
- 66 initiative specification
- A specification defining conformance requirements for implementing an initiative. Also called "initiative wrapper specification".
- 68 3.4
- 69 implementation namespace

A CIM namespace for the main part of the implementation, as defined in DSP1033.

- ⁷⁰ **3.5**
- 71 interop namespace

A CIM namespace for interoperability, as defined in <u>DSP1033</u>.

- ⁷² **3.6**
- 73 profile

A management profile, as defined in <u>DSP1001</u>.

74

4 Symbols and abbreviated terms

- The abbreviations defined in <u>DSP0004</u>, <u>DSP0223</u>, and <u>DSP1001</u> apply to this document.
- 76 This document does not define any additional abbreviations.

77

5 Synopsis

- 78 **Profile name:** Management Initiative Registration
- 79 **Version:** 1.0.0
- 80 **Organization**: DMTF
- 81 Abstract: No
- 82 **Profile type:** Autonomous83 **Schema:** DMTF CIM 2.37
- 84 **Central class adaptation:** RegisteredInitiative
- 85 Scoping class adaptation: RegisteredInitiative

- The Management Initiative Registration profile is an autonomous profile that provides for advertising and discovering conformance of an implementation to management initiatives, and optionally to the management profiles of the advertised initiatives.
- Table 1 identifies the profile references defined in this profile.

Table 1 - Profile references

Profile reference name	Profile name	Organi- zation	Version	Relation- ship	Description
PRP	Profile Registration	DMTF	1.1	I IV/I and atorv	Used to advertise conformance of the implementation to this profile.
InitiativePRP	Profile Registration	DMTF	1.1	Mandatory	Used to advertise conformance of the implementation to the management profiles of advertised management initiatives.

Table 2 identifies the features defined in this profile.

Table 2 - Features

Feature	Requirement	Description
InitiativeProfiles	Optional	See 7.1.1.

Table 3 identifies the class adaptations defined in this profile.

Table 3 - Adaptations

Adaptation	Elements	Requirement	Description
Instantiated, embedded and abstract adaptations			
RegisteredProfile	CIM_RegisteredProfile	Mandatory	See 7.2.2.
RegisteredInitiative	CIM_RegisteredSpecification	Mandatory	See 7.2.3.
InitiativeProfile	CIM_RegisteredProfile	Conditional	See 7.2.4.
ReferencedInitiativeProfile	CIM_ReferencedSpecification	Conditional	See 7.2.5.
Indications and exceptions			
This profile does not define any such adaptations.			

Table 4 identifies the use cases and state descriptions defined in this profile.

Table 4 - Use cases and state descriptions

Name	Description
State description: SimpleObjectDiagram	See 8.1.
Use case: DetermineAllInitiatives	See 8.2.
Use case: DetermineInitiativesOfProfile	See 8.3.
Use case: DetermineProfilesOfInitiative	See 8.4.

93

94

88

89

90

91

97

6 Description

The DMTF class adaptation diagram in Figure 1 shows all class usages (adaptations) defined in this profile, and relevant class adaptations from referenced profiles. Adaptation names are shown in parenthesis if they differ from the class names without schema prefix.

Management Initiative Registration profile Implementation namespace Interop namespace CIM_RegisteredProfile CIM ElementConformsToProfile (PRP::ElementConformsToProfile) CIM_RegisteredSpecification (RegisteredInitiative) InitiativeProfiles feature CIM_ReferencedSpecification (ReferencedInitiativeProfile) CIM_ElementConformsToProfile (InitiativePRP::ElementConformsToProfile, assuming central methodology) CIM_RegisteredProfile CIM_ManagedElement (InitiativeProfile) (InitiativePRP::CentralElement)

Figure 1 - DMTF class adaptation diagram

98 99

The RegisteredInitiative class adaptation is the central (and scoping) element of this profile; its instances represent management initiatives to which implementations conform.

- If the InitiativeProfiles feature is implemented for an initiative, the profiles implemented in context of that initiative are represented by InitiativeProfile instances associated through ReferencedInitiativeProfile. The InitiativeProfile instances are implemented as part of the profile they represent.
- 101 Conformance to this profile is advertised using the Profile Registration profile (referenced as PRP); that is, via the RegisteredProfile instance.

7 Implementation

103

104

7.1 Features

7.1.1 Feature: InitiativeProfiles

Implementing this feature for an advertised management initiative provides support for representing the management profiles of that initiative.

- The requirement level for this feature is optional.
- This feature can be made available to clients at the granularity of RegisteredInitiative instances.
- 107 It can be concluded that the feature is available for a RegisteredInitiative instance if:
 - The following OCL derivation constraint evaluates to a Boolean value of True.
 - OCL context: A RegisteredInitiative instance.

```
derive: self.ReferencedInitiativeProfile::Antecedent->size() > 0
```

112

115

109

110 111

Explanation:

There is at least one ReferencedInitiativeProfile instance referencing the RegisteredInitiative instance representing the advertised management initiative.

- Otherwise, it can be concluded that the feature is not available.
- 7.2 Adaptations

7.2.1 Conventions

- This profile defines operation requirements based on DSP0223.
- For adaptations of ordinary classes and of associations, the requirements for operations are defined in adaptation-specific subclauses of subclause 7.2.
- For association traversal operation requirements that are specified only in the elements table of an adaptation (i.e., without operation-specific subclauses), the names of the association adaptations to be traversed are listed in the elements table.
- The default initialization requirement level for property requirements is optional.
- The default modification requirement level for property requirements is optional.
- This profile repeats the effective values of certain Boolean qualifiers as part of property, method parameter, or method return value requirements. The following convention is established: If the name of a qualifier is listed, its effective value is True; if the qualifier name is not listed, its effective value is False. The convention is applied in the following cases:
 - In: indicates that the parameter is an input parameter
 - Out: indicates that the parameter is an output parameter
- Key: indicates that the property is a key (that is, its value is part of the instance path)
- Required: indicates that the element value shall be non-Null

126

122

128

134

135

140

141

144

145

• Null OK: indicates explicitly that the element value may be Null for mandatory, conditional or conditional exclusive properties. This information is not specified as a qualifier in the schema but as an indicator in the profile.

7.2.2 Adaptation: RegisteredProfile: CIM_RegisteredProfile

7.2.2.1 General

- This adaptation models the advertisement of conformance to this profile.
- Profiles derived from this profile that have a need to advertise conformance to the derived profile, should define an adaptation derived from PRP::RegisteredProfile for this purpose.
- The implementation type of this adaptation is instantiated ordinary adaptation.
- The requirement level for this adaptation is mandatory.
- Table 5 identifies the element requirements for this adaptation.

Table 5 – RegisteredProfile: Element requirements

Element	Requirement	Description		
Base adaptations				
PRP::RegisteredProfile	Mandatory	See PRP::RegisteredProfile.		
Properties				
RegisteredName	Mandatory	Required, see 7.2.2.2.		
RegisteredOrganization	Mandatory	Required, see 7.2.2.3.		
RegisteredVersion	Mandatory	Required, see 7.2.2.4.		

7.2.2.2 Property: RegisteredName

- The presentation requirement level for this property is mandatory.
- The implementation shall satisfy the following constraint for this property:
- OCL constraint with context of a RegisteredProfile instance:

```
inv: self.RegisteredName = 'Management Initiative Registration'
```

7.2.2.3 Property: RegisteredOrganization

- The presentation requirement level for this property is mandatory.
- The implementation shall satisfy the following constraint for this property:
- OCL constraint with context of a RegisteredProfile instance:

```
inv: self.RegisteredOrganization = 2 /* DMTF */
```

7.2.2.4 Property: RegisteredVersion

- The presentation requirement level for this property is mandatory.
- 147 The implementation shall satisfy the following constraint for this property:
- OCL constraint with context of a RegisteredProfile instance:

inv: self.RegisteredVersion = '1.0.0'

7.2.3 Adaptation: RegisteredInitiative: CIM_RegisteredSpecification

7.2.3.1 General

151

157

- This adaptation models management initiatives to which this implementation conforms; each such initiative shall have an initiative specification describing it.
- 153 This adaptation shall be exposed in the interop namespace of the WBEM server that implements the initiative.
- The implementation type of this adaptation is instantiated ordinary adaptation.
- 155 The requirement level for this adaptation is mandatory.
- Table 6 identifies the element requirements for this adaptation.

Table 6 - RegisteredInitiative: Element requirements

Element	Requirement	Description
Properties		
InstanceID	Mandatory	Key, see schema definition.
SpecificationType	Mandatory	See 7.2.3.2.
RegisteredOrganization	Mandatory	Required, see 7.2.3.3.
RegisteredName	Mandatory	Required, see 7.2.3.4.
RegisteredVersion	Mandatory	Required, see 7.2.3.5.
AdvertiseTypes	Mandatory	Required, see schema definition.
AdvertiseTypeDescriptions	Mandatory	See schema definition.
Operations		
GetInstance()	Mandatory	See <u>DSP0223</u> .
EnumerateInstances()	Mandatory	See <u>DSP0223</u> .
EnumerateInstanceNames()	Mandatory	See <u>DSP0223</u> .
Associators() for ReferencedInitiativeProfile	Conditional	See 7.2.3.6.
AssociatorNames() for ReferencedInitiativeProfile	Conditional	See 7.2.3.7.

7.2.3.2 Property: SpecificationType

- The presentation requirement level for this property is mandatory.
- The implementation shall satisfy the following constraint for this property:
 - OCL constraint with context of a RegisteredInitiative instance:

```
inv: self.SpecificationType = 3 /* Initiative Wrapper */
```

Explanation:

This property shall have a value of 3 (Initiative Wrapper), indicating that the instance represents an initiative specification.

164

158

161162

7.2.3.3 Property: RegisteredOrganization

- The presentation requirement level for this property is mandatory.
- The value of this property shall be the organization owning the initiative specification of the initiative represented by an instance of this adaptation.
- 7.2.3.4 Property: RegisteredName
- The presentation requirement level for this property is mandatory.
- The value of this property shall be the name of the initiative as defined in the initiative specification of the initiative represented by an instance of this adaptation.
- 7.2.3.5 Property: RegisteredVersion
- The presentation requirement level for this property is mandatory.
- The value of this property shall be the version of the initiative specification of the initiative represented by an instance of this adaptation.
- 7.2.3.6 Operation: Associators() for ReferencedInitiativeProfile
- For general requirements on the implementation of this operation, see <u>DSP0223</u>.
- 175 The requirement level for this operation is conditional, with the following condition:

The InitiativeProfiles feature is implemented.

- 176 This operation requirement applies when traversing the following association adaptations:
- ReferencedInitiativeProfile
- 7.2.3.7 Operation: AssociatorNames() for ReferencedInitiativeProfile
- For general requirements on the implementation of this operation, see <u>DSP0223</u>.
- The requirement level for this operation is conditional, with the following condition:

The InitiativeProfiles feature is implemented.

- This operation requirement applies when traversing the following association adaptations:
 - ReferencedInitiativeProfile
- 7.2.4 Adaptation: InitiativeProfile: CIM_RegisteredProfile
- ¹⁸⁴ **7.2.4.1 General**

This adaptation models profiles to which an implementation conforms and that are referenced in the initiative specification of a management initiative.

- The implementation type of this adaptation is instantiated ordinary adaptation.
- The requirement level for this adaptation is conditional, with the following condition:

The InitiativeProfiles feature is implemented.

Table 7 identifies the element requirements for this adaptation.

188

Table 7 - InitiativeProfile: Element requirements

Element	Requirement	Description
Base adaptations		
InitiativePRP::RegisteredProfile	Mandatory	See InitiativePRP::RegisteredProfile.
Operations		
Associators() for ReferencedInitiativeProfile	Conditional	See 7.2.4.2.
AssociatorNames() for ReferencedInitiativeProfile	Conditional	See 7.2.4.3.

7.2.4.2 Operation: Associators() for ReferencedInitiativeProfile

- For general requirements on the implementation of this operation, see <u>DSP0223</u>.
- The requirement level for this operation is conditional, with the following condition:

The InitiativeProfiles feature is implemented.

- This operation requirement applies when traversing the following association adaptations:
 - · ReferencedInitiativeProfile

7.2.4.3 Operation: AssociatorNames() for ReferencedInitiativeProfile

- For general requirements on the implementation of this operation, see <u>DSP0223</u>.
- The requirement level for this operation is conditional, with the following condition:

The InitiativeProfiles feature is implemented.

- 197 This operation requirement applies when traversing the following association adaptations:
 - · ReferencedInitiativeProfile

7.2.5 Adaptation: ReferencedInitiativeProfile: CIM_ReferencedSpecification

7.2.5.1 General

This adaptation models the relationship between management initiatives represented by RegisteredInitiative instances and the management profiles implemented in context of these initiatives that are represented by InitiativeProfile instances.

- This adaptation shall be exposed in the interop namespace of the WBEM server that implements the initiative.
- The implementation type of this adaptation is instantiated association adaptation.
- 203 The requirement level for this adaptation is conditional, with the following condition:

The InitiativeProfiles feature is implemented.

Table 8 identifies the element requirements for this adaptation.

Table 8 - ReferencedInitiativeProfile: Element requirements

Element	Requirement	Description
Properties		
Antecedent	Mandatory	Key, see 7.2.5.2.
Dependent	Mandatory	Key, see 7.2.5.3.

14

205

189

193194

198 199

211

212

213

214

215216

217

218

219

7.2.5.2 Property: Antecedent

- The presentation requirement level for this property is mandatory.
- The implementation shall satisfy the following constraints for this reference property:
 - Referenced instances shall be of class adaptation InitiativeProfile.
 - The multiplicity of [0 .. *] defined in the schema is not further constrained.

7.2.5.3 Property: Dependent

- The presentation requirement level for this property is mandatory.
- The implementation shall satisfy the following constraints for this reference property:
 - · Referenced instances shall be of class adaptation RegisteredInitiative.
 - The multiplicity of [0 .. *] defined in the schema is not further constrained.

8 Use cases and state descriptions

8.1 State description: SimpleObjectDiagram

The object diagram in Figure 2 shows a conformant implementation of this profile, with one management initiative and two profiles advertised as conformant to the initiative, implementing the InitiativeProfiles feature.




Figure 2 - Simple object diagram

The myini instance represents that the implementation conforms to the "MyInitiative" management initiative, version 1.0.0.

222

The two profiles that have been implemented in context of that initiative are represented by the <code>ip1</code> and <code>ip2</code> instances. Because the InitiativeProfiles feature has been implemented, the <code>ip1</code> and <code>ip2</code> instances are associated with the <code>myini</code> instance via ReferencedInitiativeProfile association instances.

Conformance of the implementation to this profile is indicated by the mirp instance, using the mechanisms described in <u>DSP1033</u>. Because this profile is an autonomous profile, the central and scoping path methodologies fall together and a client can always expect a <u>CIM_ElementConformsToProfile</u> association to exist between the central instances of <u>CIM_RegisteredSpecification</u> and the mirp instance representing this profile.

8.2 Use case: DetermineAllInitiatives

Determine all management initiatives to which the implementation conforms, and their versions.

- This use case has the following preconditions:
 - The interop namespace of the WBEM server is known.
- The main flow for this use case consists of the following step:
 - 1. Enumerate CIM_RegisteredSpecification instances in the interop namespace of the WBEM server, restricting the result set to instances where SpecificationType = 3 (Initiative Wrapper).
 - The resulting instances conform to the RegisteredInitiative adaptation and represent all initiatives to which the implementation (on the WBEM server) conforms. The RegisteredName and RegisteredVersion properties of the returned CIM_RegisteredSpecification instances identify name and version of the management initiative.
 - Note that there may be initiatives implemented in the WBEM server for which this profile was not implemented. Such initiatives would not be represented in the result set of this use case.

8.3 Use case: DetermineInitiativesOfProfile

Determine to which management initiatives a given implemented profile belongs.

- 234 This use case has the following preconditions:
 - The InitiativeProfiles feature is implemented for the initiatives in question.
 - The CIM RegisteredProfile instance representing the given implemented profile is known.
- The main flow for this use case consists of the following step:
 - 1. From the given CIM_RegisteredProfile instance, traverse the CIM_ReferencedSpecification association, restricting the associated instances to those of class CIM_RegisteredSpecification where SpecificationType = 3 (Initiative Wrapper).
- The resulting CIM_RegisteredSpecification instances conform to the RegisteredInitiative adaptation and represent the initiatives to which the given profile belongs.
- Note that there may be initiatives to which the given profile belongs but for which this profile or the InitiativeProfiles feature was not implemented. Such initiatives would not be represented in the result set of this use case.

8.4 Use case: DetermineProfilesOfInitiative

Determine to which profiles of a given implemented initiative the implementation conforms.

- 243 This use case has the following preconditions:
 - The InitiativeProfiles feature is implemented for the given initiative.

16

244

242

224

227

230

231

232

233

235

236

- The CIM RegisteredSpecification instance representing the given initiative is known.
- The main flow for this use case consists of the following step:
- 248 1. From the given CIM_RegisteredSpecification instance, traverse the CIM_ReferencedSpecification association, restricting the associated instances to those of class CIM_RegisteredProfile.
 - The resulting CIM_RegisteredProfile instances conform to the InitiativeProfile adaptation and represent the profiles that advertise conformance to the given initiative.
- Note that there may be profiles that belong to the given initiative but for which the InitiativeProfiles feature was not implemented. Such profiles would not be part of the result set of this use case.

ANNEX A

(informative)

Change log

252

Table 9 - Change log

Version Date		Description
1.0.0b	2013-04-04	Released as Work in Progress
1.0.0c	2013-08-08	Released as Work in Progress