

Document Number: DSP020	3
Date: 2009-07-2	4
Version: 1.0	5

6 WBEM Discovery Using the Service Location

7 Protocol (SLP)

- 8 Document Type: Specification
- 9 **Document Status: DMTF Standard**
- 10 Document Language: E

11

1

12 Copyright Notice

13 Copyright © 2009 Distributed Management Task Force, Inc. (DMTF). All rights reserved.

DMTF is a not-for-profit association of industry members dedicated to promoting enterprise and systems management and interoperability. Members and non-members may reproduce DMTF specifications and documents, provided that correct attribution is given. As DMTF specifications may be revised from time to

17 time, the particular version and release date should always be noted.

18 Implementation of certain elements of this standard or proposed standard may be subject to third party

19 patent rights, including provisional patent rights (herein "patent rights"). DMTF makes no representations

to users of the standard as to the existence of such rights, and is not responsible to recognize, disclose,

or identify any or all such third party patent right, owners or claimants, nor for any incomplete or inaccurate identification or disclosure of such rights, owners or claimants. DMTF shall have no liability to

any party, in any manner or circumstance, under any legal theory whatsoever, for failure to recognize,

disclose, or identify any such third party patent rights, or for such party's reliance on the standard or

incorporation thereof in its product, protocols or testing procedures. DMTF shall have no liability to any

26 party implementing such standard, whether such implementation is foreseeable or not, nor to any patent

27 owner or claimant, and shall have no liability or responsibility for costs or losses incurred if a standard is

28 withdrawn or modified after publication, and shall be indemnified and held harmless by any party

implementing the standard from any and all claims of infringement by a patent owner for such

30 implementations.

31 For information about patents held by third-parties which have notified the DMTF that, in their opinion,

- 32 such patent may relate to or impact implementations of DMTF standards, visit
- 33 <u>http://www.dmtf.org/about/policies/disclosures.php</u>.

CONTENTS

36	Foreword5				
37	Intro	oduction	6		
38	1	Scope	7		
39	2	Normative References	7		
40		2.1 Approved References2.2 Other References	7		
41		2.2 Other References	8		
42	3	Terms and Definitions			
43	4	Symbols and Abbreviated Terms	9		
44	5	WBEM Discovery using the SLP	9		
45		5.1 WBEM Server			
46	ANN	NEX A (informative) Change Log	11		
47	Bibliography				
48					

Foreword

- 51 The *WBEM Discovery Using the Service Location Protocol (SLP)* (DSP0205) was prepared by DMTF 52 WBEM Infrastructure Model Working Group.
- 53 DMTF is a not-for-profit association of industry members dedicated to promoting enterprise and systems 54 management and interoperability.

55 Acknowledgments

- 56 The authors wish to acknowledge the following people.
- 57 Contributors:
- Jim Davis WBEM Solutions, Inc.
- Karl Schopmeyer Inova Europe
- 60 Erik Guttman Sun Microsystems, Inc
- Michael Walker IBM

Introduction

- The WBEM Discovery Using the SLP specification defines WBEM Discovery using the Service Location
 Protocol (SLP) Version 2.
- The Service Location Protocol is defined by the Internet Engineering Task Force (IETF) in <u>RFC 2608</u>. The reader is expected to have a working knowledge of SLP and WBEM.
- 67 This specification, along with the *WBEM SLP Template* (<u>DSP0206</u>), is the complete specification for 68 WBEM Discovery using SLP.

69 WBEM Discovery Using the Service Location Protocol (SLP)

70 **1 Scope**

This specification describes an efficient method for WBEM Clients to discover WBEM Servers and WBEM
 Server capabilities.

- 73 The objectives of this specification are to:
- provide a mechanism that allows WBEM Clients to discover WBEM Servers
- use existing standards and protocols for rapid development and deployment
- provide a mechanism that scales from small environments to enterprise environments
- provide WBEM Clients sufficient information in the advertisement to determine the WBEM
 Servers to communicate with
- scope the level of advertisement to avoid security holes

80 The Service Location Protocol provides a flexible and scalable framework for providing clients,

81 represented by User Agents, with access to information about the existence, location, and configuration 82 of services, represented by Service Agents.

83 Traditionally, clients have had to know the name and access method of services. The SLP eliminates the 84 need for a client to know the name and access point of services. With SLP the client supplies a request 85 for the desired type of service. The client receives information regarding the requested services.

The SLP uses Directory Agents that offer a centralized repository for advertised services. This allows the SLP to scale from very small to very large environments.

88 WBEM Servers acting as Service Agents advertise their services. WBEM Clients acting as User Agents

89 query for the WBEM Server(s). A Directory Agent may be deployed in environments where there are

90 many User and Service Agents.

91 2 Normative References

92 The following referenced documents are indispensable for the application of this document. For dated

references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

95 2.1 Approved References

- 96 DMTF, Common Information Model (CIM) Schema, Version 2.8
- 97 DMTF DSP0004, Common Information Model (CIM) Infrastructure 2.5,
- 98 http://www.dmtf.org/standards/published_documents/DSP0004_2.5.pdf
- 99 DMTF DSP0200, CIM Operations over HTTP 1.3,
- 100 <u>http://www.dmtf.org/standards/published_documents/DSP0200_1.3.pdf</u>
- 101 DMTF DSP0206, WBEM SLP Template 1.0, http://www.dmtf.org/standards/wbem/wbem.1.0.en
- 102 IETF RFC 2608, Service Location Protocol, Version 2, June 1999,
- 103 <u>http://www.ietf.org/rfc/rfc2608.txt</u>

- 104 IETF RFC 2609, Service Templates and Service: Schemes, June 1999,
- 105 <u>http://www.ietf.org/rfc/rfc2609.txt</u>

106 2.2 Other References

- 107 ISO/IEC Directives, Part 2, Rules for the structure and drafting of International Standards,
- 108 http://isotc.iso.org/livelink/livelink.exe?func=ll&objId=4230456&objAction=browse&sort=subtype

109 3 Terms and Definitions

- 110 For the purposes of this document, the following terms and definitions apply.
- 111 **3.1**
- 112 **can**
- used for statements of possibility and capability, whether material, physical, or causal
- 114 **3.2**
- 115 cannot
- used for statements of possibility and capability, whether material, physical or causal
- 117 **3.3**
- 118 conditional
- indicates requirements to be followed strictly in order to conform to the document when the specifiedconditions are met
- 121 **3.4**
- 122 mandatory
- 123 indicates requirements to be followed strictly in order to conform to the document and from which no
- 124 deviation is permitted
- 125 **3.5**
- 126 **may**
- 127 indicates a course of action permissible within the limits of the document
- 128 **3.6**
- 129 need not
- 130 indicates a course of action permissible within the limits of the document
- 131 **3.7**
- 132 optional
- 133 indicates a course of action permissible within the limits of the document
- 134 **3.8**
- 135 shall
- indicates requirements to be followed strictly in order to conform to the document and from which nodeviation is permitted
- 138 **3.9**
- 100 **3.9**
- 139 shall not
- 140 indicates requirements to be followed strictly in order to conform to the document and from which no
- 141 deviation is permitted

142 **3.10**

- 143 should
- 144 indicates that among several possibilities, one is recommended as particularly suitable, without
- 145 mentioning or excluding others, or that a certain course of action is preferred but not necessarily required
- 146 **3.11**
- 147 should not
- 148 indicates that a certain possibility or course of action is deprecated but not prohibited

149 4 Symbols and Abbreviated Terms

- 150 The following symbols and abbreviations are used in this document.
- 151 **4.1**
- 152 CIM
- 153 Common Information Model
- 154 **4.2**
- 155 **DA**
- 156 Directory Agent
- 157 **4.3**
- 158 **SA**
- 159 Service Agent
- 160 **4.4**
- 161 **SLP**
- 162 Service Location Protocol
- 163 **4.5**
- 164 **UA**
- 165 User Agent
- 166 **4.6**
- 167 **WBEM**
- 168 Web-Based Enterprise Management

169 5 WBEM Discovery using the SLP

- This specification defines a mechanism that allows WBEM Servers to advertise their service access pointand capabilities using the SLP.
- 172 This specification requires the information in the <u>WBEM SLP Template</u> specification to be complete.

173 **5.1 WBEM Server**

- 174 A WBEM Server shall be a Service Agent as defined by the SLP.
- 175 A WBEM Server shall advertise its services using the <u>WBEM SLP Template</u>.
- 176 A WBEM Server shall provide values for each required property in the WBEM SLP Template.
- 177 A WBEM Server should support all attributes listed in the WBEM SLP Template.

- 178 A WBEM Server shall provide a separate SLP advertisement for each remote service access point of the
- 179 CIM object manager (that is, each instance of CIM_ObjectManagerCommunicationMechanism class).
- 180 The SLP advertisement contains a single unique ID for a WBEM Server as defined in the Service ID
- section of the <u>WBEM SLP Template</u>. The entry in the service-location-tcp attribute defines the
 address/port/CommunicationMechanism that a WBEM Server is advertising.
- 183 A WBEM Server shall reregister the advertisement before the time period expires as defined in the SLP.
- 184 A WBEM Server should deregister any advertisements on shutdown.
- 185 A WBEM Server on initialization shall advertise its services.
- 186 If the attributes change, a WBEM Server shall update the advertisement. If a WBEM Server registered187 with a DA, it shall update the DA.

- ANNEX A (informative)

- 191
- 192

193

Change Log

Versio	n Date	Author	Description
1.0.0	07/29/09		DMTF Standard Release

194Bibliography

Service Location Protocol for Enterprise Networks, James Kempf, Pete St. Pierre, Wiley, 1999, ISBN 0 471-31587-7