



# The Case for Redfish

Jeff Hilland  
President, DMTF

CT Manageability, Hewlett Packard Enterprise DCIG  
June 2017



## Disclaimer

- The information in this presentation represents a snapshot of work in progress within the DMTF.
- This information is subject to change without notice. The standard specifications remain the normative reference for all information.
- For additional information, see the Distributed Management Task Force (DMTF) website.





# What we did to fix the Status Quo

Bring forth a modern standard that advances capabilities started by IPMI, SMASH, DASH, etc.


Build a consortium of industry leaders using an existing standards body

Strive for broad adoption of specification across industry to meet growing customer demand


Seed ecosystem with open source

Unprecedented level of interoperability

Expand scope to rest of Software Defined IT Infrastructure over time



# How to Re-invent IT Management





# A Hybrid IT Management Solution

## Design Tenets

- Leverage common Internet / Web Services standards, other standards where appropriate
- Represent modern hardware designs (standalone to scale-out, current silicon, OCP)
- Does not require a PhD to design or use.
- Separation of protocol from data model, allowing them to be revised independently

## Protocol Suite

- HTTPS / SSL: Primary data transport
- SSDP from uPnP: Service Discovery
- HTTP-based alert subscription
- Leverage OData v4

## REST & JSON

- Modern, standards-based
- Widely used for web services, software defined and public APIs
- Easy for IT professionals and amateurs to utilize



## Data Model

- Schema-based, starting with CSDL & JSON Schema
- Prepare to add schema language definitions as market changes
- An easy to use data model that a human can just read
- Create new modeling tenants to facilitate ease of design (inheritance by copy, polymorphism by union)



## Why REST, HTTP and JSON?

- **REST:** The API architecture
  - Rapidly replacing SOAP
- **HTTPS:** The Web protocol
  - Well-understood by admins
  - Known security model
  - Known network configuration
- **JSON:** Modern data format
  - Human-readable
  - Simpler than XML
  - Modern language support
- The combination of language support and ubiquity of REST, HTTP and JSON means that IT management tasks can be performed using the same skill set and tool chain as all other IT and dev/ops tasks.



JSON vs XML

# Scalable Platforms Management Forum (DMTF group that defines Redfish)



Co-Chairs: Jeff Autor (HPE), Mike Raineri (Dell)

## SPMF Leadership Companies



## SPMF Supporting Companies

American Megatrends, Inc., Fujitsu, Huawei, IBM, Insyde Software Corp., Mellanox Technologies, Microsemi, NetApp, Oracle, OSISOFT, LLC, Quanta Computer, Toshiba, Western Digital Corporation

## SPMF Industry Alliance Partners & efforts

OpenCompute Project – Collaborating on profile definition

UEFI – Collaborating on Firmware Update and Host Interface work

SNIA – Collaborating on Storage modeling / alignment between SNIA SSM and Redfish


TGG – Pursuing relationship to work on Power/Cooling (existing DMTF Alliance Partner)

IETF – working on Switch modeling (no official alliance)



## What is Redfish?

- **Industry Standard Software Defined Management for Converged, Hybrid IT**
  - HTTPS in JSON format based on OData v4
  - Schema-backed but human-readable
  - Equally usable by Apps, GUIs and Scripts
  - Extensible, Secure, Interoperable
- **Version 1 focused on Servers**
  - A secure, multi-node capable replacement for IPMI-over-LAN
  - Represent full server category: Rackmount, Blades, HPC, Racks, Future
  - Intended to meet OCP Remote Machine Management requirement
- **Expand scope over time to rest of IT infrastructure**
  - Additional features coming out approximately every 4 months
  - Working with SNIA to cover more advanced Storage (Swordfish)
  - Working with The Green Grid to cover Facilities (Power/Cooling)
  - Work with the IETF to cover some level of Ethernet Switching



# Redfish



## Timeline of Redfish™ Specification

- The DMTF Redfish technology
  - Sep 2014: SPMF Formed in DMTF.
    - Released multiple work-in-progress for public feedback
  - Aug 2015: Redfish Specification with base models (v1.0)
  - May 2016: Models for BIOS, disk drives, memory, storage, volume (2016.1)
  - Aug 2016: Models for endpoint, fabric, switch, PCIe device, zone, software/firmware inventory & update (2016.2)
  - Dec 2016: Adv. communications devices (multi-function NICs), host interface (KCS replacement), privilege mapping (2016.3)
  - May 2017: Composability (2017.1)
- Alignment with other standard organizations
  - Aug 2016: SNIA releases model for network storage services (Swordfish)
  - DMTF created work registers with UEFI Forum, TGG and OCP
  - Working with IETF to create a programmatic Redfish mapping



Redfish



Swordfish™



OPEN  
Compute Project



the green grid™



I E T F®



# Redfish Developer Hub: [redfish.dmtf.org](http://redfish.dmtf.org)



## Resources

- Schema Index
- Specifications
- GitHub for Redfish Tools
- Registries
- Other Documentation

## Mockups

- Simple Rack-mounted Server
- Bladed System
- Proposed OCP Redfish Profile
- More being added

## Education/Community

- Redfish User Forum
- Whitepapers, Presentations
- YouTube shorts & Webinars



DMTF DISTRIBUTED MANAGEMENT TASK FORCE, INC.  
**Redfish™ Developer Hub**

Home Mockups About the Redfish API


Welcome to the Redfish Developer Hub

DMTF's Redfish™ API is an open industry standard specification and schema that helps enable simple and secure management of modern scalable platform hardware. By specifying a RESTful interface and utilizing JSON and OData, Redfish helps customers integrate solutions within their existing tool chains. An aggressive development schedule is quickly advancing Redfish toward its goal of addressing all the components in the data center with a consistent

DMTF DISTRIBUTED MANAGEMENT TASK FORCE, INC.  
**Redfish Resource Explorer**

Welcome Developers! The DMTF's Redfish API provides a set of development mockups, for developers, for development tutorials and other a

Development Mockup



Explore the Resources

redfish » v1 » Systems » 1

```

{
  "@Redfish.Copyright": "Copyright © 2014-2015 Distributed Management Task Force, Inc. (DMTF). All Rights reserved.",
  "@odata.context": "/redfish/v1/$metadata#Systems/Members/Sentivity",
  "@odata.id": "/redfish/v1/Systems/1",
  "@odata.type": "#ComputerSystem.1.0.0.ComputerSystem",
  "Id": "1",
  "Name": "My Computer System",
  "SystemType": "Physical",
  "AssetTag": "Free form asset tag",
  "Manufacturer": "Dell",
  "Model": "R710",
  "SKU": "R710",
  "Serial": "1234567890",
  "PartNumber": "1234567890",
  "Description": "My Computer System",
  "UUID": "1234567890"
}
    
```

**Redfish Specification Forum**

Home Help Search Welcome Guest. Please [Login](#) or [Register](#).

Redfish Specification Forum > Home >

News Welcome to our new forum!

Specification, Protocol, Schema and Payloads	Board	Threads	Posts	Last Post
Discussion about the Redfish Specification and the RESTful HTTP protocol.	Protocol and Specification	1	2	Retrieving individual properties by j2hilland Sep 12, 2016 at 7:42am
Discussion about the contents of the standard Redfish schemas, and the published CSDL (XML) or json-schema definition files	CSDL and json-schema	1	2	How to use the Location property under Resource? by mralneri Aug 12, 2016 at 6:33am
Requests to add features to the Redfish Specification, make additions to existing Schema, or to create a new Schema.	Feature Requests	1	2	Creating a webinterface/KVM-over-IP session for user by jautor Aug 12, 2016 at 6:33am



## Redfish Task Forces

Task forces created when there is sufficient need or interest

Task Forces	Product	Comment
<b>Host Interface</b>	Interface for in-band entity to access the Redfish service	Complete
<b>Firmware Update</b>	Resource models for performing firmware updates	Complete
<b>Storage</b>	Resource models for managing local storage devices	Complete
<b>Advanced Comm Device</b>	Resource models for managing network ports	Complete
<b>Privilege Mapping</b>	Model extensions for expressing user privilege	Complete
<b>Composability</b>	Resource models for composing resource	Model released, ongoing
<b>Network Infrastructure</b>	Resource models for managing an Ethernet Switch model, derived from YANG models	WIP released, ongoing
<b>Tools</b>	Open source for using and developing Redfish models	Released 10 tools to date
<b>Interoperability</b>	Develop interoperability tools & hold plugfests	Ongoing




## Tools Task Force: Redfish Tools Description

SPMF Tools TF open source tools to enable Redfish <http://www.dmtf.org/standards/opensource>

	Tool	Description
Extend	CSDL Validator	Validates the CSDL conforms to Redfish requirements
	CSDL-to-JSON schema convertor	Generates json-schema files from CSDL
	Document Generator	Generates documentation from json-schema
Working Svc	Mockup Server	Exposes a mockup as a static HTTP service (GETs only)
	Mockup Creator	Creates a mockup from a Redfish service
	Profile Simulator	Dynamic simulator of the proposed Redfish profile for OCP
	Interface Emulator	Dynamic simulator which can rapid
Test	Service Validator	Validates a Redfish service is conformant
	Service Conformance Tool	Verifies the conformance of a Redfish service to assertions extracted from the Redfish Specification
Client	Command Line (redfishtool)	A command line tool for interacting with a Redfish service (similar to ipmitool)
	Python Utility & Python Library	A Command line tool with UI and python libraries for interacting with Redfish services



# Thank you!



## Redfish





## Backup Material



## How simple is Redfish?

Example Python code to retrieve serial number from a server:

```
rawData = urllib.urlopen('http://192.168.1.135/redfish/v1/Systems/1')  
jsonData = json.loads(rawData)  
print( jsonData['SerialNumber'] )
```

Output is:


```
1A87CA442K
```

Three lines of code: point to the resource, get the data, print the serial number.

**\*Example uses Redfish ComputerSystem resource**



# Redfish Resource Map




**GET `http://<ip-addr>/redfish/v1/Systems/{id}/Processors/{id}`**

Use the Redfish Resource Explorer ([redfish.dmtf.org](http://redfish.dmtf.org)) to explore the resource map



## Redfish Releases 2016

- **2016.1:**
  - BIOS Configuration
  - Memory (DIMM) Inventory
  - Secure Boot
  - Advanced Storage (SAS, SATA, RAID, NVMe)
- **2016.2**
  - PCIe Devices
  - Switched Fabrics
  - Persistent Memory Management
  - Installed Firmware and Firmware Update
  - ActionInfo to describe Action Parameters
- **2016.3**
  - Advanced Communications Devices (multi-function NICs)
  - Redfish Host Interface (KCS replacement)
  - Resource and Property-level Privilege Mapping
- **2017.1**
  - Composability



# Redfish



# Redfish v1.0 Feature Set

## Retrieve “IPMI class” data

- Basic server identification and asset info
- Health state
- Temperature sensors and fans
- Power supply, power consumption and thresholds

## Basic I/O infrastructure data

- Host NIC MAC address(es) for LOM devices
- Simple hard drive status / fault reporting

## Discovery

- Service endpoint (network-based discovery)
- System topology (rack/chassis/server/node)

## Security

- Session-based leverages HTTPS

## Perform Common Actions

- Reboot / power cycle server
- Change boot order / device
- Set power thresholds

## Access and Notification

- Serial console access via SSH
- Alert / event notification method(s)
- Event Log access method(s)

## BMC infrastructure

- View / configure BMC network settings
- Manage local BMC user accounts

## Working on more...

## Network Infrastructure task force: YANG to Redfish

- Enable converged infrastructure management
  - One interface (one tool chain) to manage compute, storage and network
  - Switches have platform components in common with servers and storage
  - Network Functions Virtualization (NFV) will need common manageability for compute and networking
- DMTF wants to leverage the networking industry's expertise
  - YANG is the basis for general network industry manageability
  - Large body of existing YANG work
  - Model driven approach to network management

